
Version 7

FitAll

nonlinear regression analysis

Solar Cell Functions Guide

MTR
SOFTWARE

Copyright © 1984 .. 2011 by MTR Software
All rights reserved.

Published by
MTR Software
77 Carlton Street, Suite 808
Toronto ON Canada
M5B 2J7

www.fitall.com

support@fitall.com

416-596-1499

FitAll, the FitAll Function Libraries, the FitAll Getting Started Guide, the FitAll Reference Guide, the FitAll Programmer's Guide and the FitAll Function Guides are copyrighted and sold with the understanding that they will be used either on a single computer or by one individual, whichever is most appropriate for the purchaser.

When you purchase FitAll, you purchase a SINGLE USER LICENCE.

Selling (or giving) copies of FitAll, its Function Libraries or Guides to others is an infringement of the copyright. That means it is illegal!.

"FitAll" and "fitting solutions" are trade marks of MTR Software.

Contents

Introduction	1
Function Reference	3
Ftn 0501: Dark Current-Voltage: Ideal.....	4
Ftn 0502: Dark Current-Voltage: Non-Ideal.....	7
Ftn 0503: Dark Current-Voltage: Sum of Ideal and Non-Ideal:.....	10
Ftn 0504: Dark I-V: Model 1A: High I-range.....	13
Ftn 0505: Dark I-V: Model 2A: Mid I-range.....	16
Ftn 0506: Dark I-V: Model 3A: Low I-range.....	19
Ftn 0507: Dark I-V: Model 4A: Full I-range.....	22
Ftn 0508: Light I-V: 2 Parameters & 6-Constants.....	25
Ftn 0509: Light I-V: 2 Parameters & 4-Constants with $R_s=0$	28
Ftn 0510: Light I-V: 6 Parameters & 2 Constants.....	30
Ftn 0511: Light I-V: 4 Parameters & 2 Constants with $R_s=0$	33
Ftn 0512: Dark Current-Voltage: Non-Ideal with R_s	36
Ftn 0513: Dark I-V: Model 1B: High I-range w/ Voltage Offset.....	39
Ftn 0514: Dark I-V: Model 1C: High I-range: "n" as a Parameter.....	42
Ftn 0515: Dark I-V: Model 2B: Mid I-range: 2 Non-Ideal Diodes.....	45
Ftn 0517: Dark I-V: Model 4B: Full I-range: 2 Non-Ideal Diodes.....	48
Ftn 0524: Dark I-V: Model 1D: High I-range: w/ Voltage Offset.....	51
Ftn 0525: Dark I-V: Model 2C: Mid I-range w/ Voltage Offset.....	54
Ftn 0526: Dark I-V: Model 3B: Low I-range w/ Voltage Offset.....	57
Ftn 0527: Dark I-V: Model 4C: Full I-range: w/ Voltage Offset.....	60
Ftn 0534: Dark I-V: Model 1E: High I-range: " R_s " as a Constant.....	63
Appendix	67
Getting Help.....	68
Adding Functions to FitAll.....	69
Index	71

THIS IS AN INTENTIONALLY EMPTY PAGE

Introduction

This **FitAll™ Solar Cell Functions Guide** describes the functions contained in the **Solar Cell Functions Library** and has an appendix that explains how to get help from **MTR Software**.

[Function Reference](#) ^[3]

[Appendix](#) ^[67]

THIS IS AN INTENTIONALLY EMPTY PAGE

Function Reference

Overview

This section describes each of the functions in *FitAll's* Solar Cell Functions Library.

In most cases, a graph of the function is shown. These graphs were created using "typical" parameter and constant values.

The actual appearance of a function depends on the parameter and constant values and may look quite different from the illustrations shown.

Equation

Gives the equation and its variations. The variations are listed in order of increasing complexity.

Constants

Lists the constants, K, that are used in the function. The default values for the constants also are given.

Parameters

Lists the parameters, P, that are used in the function.

Multi-Fits

Describes the Multi-Fit functionality of "Multi-Fit enabled" functions.

Sample Applications

Gives examples of some situations in which the function is known to be used.


Remarks

Provides general comments and hints, and lists any known limitations or restrictions that should be observed when using the function.


Also see

Provides links or references to other related functions.

Ftn 0501: Dark Current-Voltage: Ideal



Equivalent Circuit



Equation

There are two variations of this function:

$$Y = P2 * \left\{ e^{\left[\frac{K1 * X}{(273.15 + K2)} \right] - 1} \right\} + \frac{X}{P1}$$

$$Y = P2 * \left\{ e^{\left[\frac{K1 * (X - Y * P3)}{(273.15 + K2)} \right] - 1} \right\} + \frac{(X - Y * P3)}{P1}$$

in which:

- Y is the measured response, the current in amperes.
- X is the independent variable, the voltage in volts.

Constants

Constant	Name	Comments
K1	q/k	Elementary charge, q = 1.602177E-19 Coulomb, divided by Boltzmann's constant, k = 1.380662E-23 J/°K Default value is 1.160441151E4 C°K/J
K2	t	Temperature in °C Default value is 25 °C.

Parameters

Parameter	Name	Comments
P1	Rsh	Shunt resistance in ohms, .
P2	Io	Diode saturation current, in amperes, for recombination mechanisms with ideality factor equal to one.
P3	Rs	Series resistance in ohms, . When doing a fit that includes Rs as a parameter, it is often advantageous to limit it to values greater than or equal to zero. These are the only physically

Parameter	Name	Comments
		meaningful values of Rs.

Sample Applications

- Characterizing the current-voltage behaviour of semiconductor diodes.
- Characterizing the dark current - voltage behaviour of solar cells.

Remarks

Because of the extreme non linearity of the function, **FitAll** may arrive at one of several possible solutions. Manual adjustment of the initial estimates will most likely be necessary.

In most cases the current, Y, data will span a wide range of values, for example, three or four orders of magnitude. Because of this it is strongly advised that you weight the data using a weighting factor of $1/(\text{Sigma}Y)^2$ or $1/(0.1Y)^2$. When you plot the fit, plot $\text{Log}[Y]$ vs. X so that you will be able to see the deviations at low Y-values as well as at high Y-values.

This is an implicit function; that is, its value depends on itself. The dependent variable, Y, appears on both sides of the equation. **FitAll** uses an iterative method to evaluate this function. Function evaluations are more time consuming than normal and the regression analysis is correspondingly slower.

Often, the best fitting strategy is to first fit your data using the first form of this function, then re-do the fit using the second form and the parameters obtained in the first fit as the starting point for the second.


All currents and voltages are assumed to be greater than or equal to zero.

When automatic initial estimates are made, **FitAll** assumes that the data are sorted on column number 1, that is, the X-values.


Also See

[Function 0502](#)^[7], which is the same as this function except that it includes the parameter "n" that is a "diode ideality factor". This function assumes that the diode is an ideal diode.

Ftn 0502: Dark Current-Voltage: Non-Ideal



Equivalent Circuit



Equation

There are two variations of this function:

$$Y = P2 * \left\{ e^{\left[\frac{K1 * X}{((273.15 + K2) * P3)} \right] - 1} \right\} + \frac{X}{P1}$$

$$Y = P2 * \left\{ e^{\left[\frac{K1 * (X - Y * P4)}{((273.15 + K2) * P3)} \right] - 1} \right\} + \frac{(X - Y * P4)}{P1}$$

in which:

- Y is the measured response, the current in amperes.
- X is the independent variable, the voltage in volts.

Constants

Constant	Name	Comments
K1	q/k	Elementary charge, q = 1.602177E-19 Coulomb, divided by Boltzmann's constant, k = 1.380662E-23 J/°K Default value is 1.160441151E4 C°K/J
K2	t	Temperature in °C Default value is 25 °C.

Parameters

Parameter	Name	Comments
P1	Rsh	Shunt resistance in ohms, .
P2	Io	Diode saturation current, in amperes, for recombination mechanisms with ideality factor equal to one.
P3	Nr	Ideality factor, equal to one for an ideal semiconductor diode (See function 0501 ⁴). When doing a fit it is often advantageous to limit the value of Nr to the range 1 to 5.

Parameter	Name	Comments
P4	Rs	Series resistance in ohms, . When doing a fit that includes Rs as a parameter, it is often advantageous to limit it to values greater than or equal to zero. These are the only physically meaningful values of Rs.

Sample Applications

- Characterizing the current-voltage behaviour of semiconductor diodes.
- Characterizing the dark current - voltage behaviour of solar cells.

Remarks

Because of the extreme non linearity of the function, **FitAll** may arrive at one of several possible solutions. Manual adjustment of the initial estimates will most likely be necessary.

In most cases the current, Y, data will span a wide range of values, for example, three or four orders of magnitude. Because of this it is strongly advised that you weight the data using a weighting factor of $1/(\text{Sigma}Y)^2$ or $1/(01.Y)^2$. When you plot the fit, plot $\text{Log}[Y]$ vs. X so that you will be able to see the deviations at low Y-values as well as at high Y-values.

This function is an implicit function; that is, its value depends on itself. The dependent variable, Y, appears on both sides of the equation. **FitAll** uses an iterative method to evaluate this function. Function evaluations are more time consuming than normal and the regression analysis is correspondingly slower.

Often, the best fitting strategy is to first fit your data using the first form of this function, then re-do the fit using the second form and the parameters obtained in the first fit as the starting point for the second.

All currents and voltages are assumed to be greater than or equal to zero.


When automatic initial estimates are made, **FitAll** assumes that the data are sorted on column number 1, that is, the X-values.

Also See


[Function 0501](#)^[4], which is the same as this function except that it assumes that the diode is an ideal diode; that is, that the diode ideality factor equals 1 (one).

[Function 0512](#)^[36], which is the same as this function except that the definitions of the dependent and independent variables are switched. That is, the meanings of X and Y are interchanged.

Ftn 0503: Dark Current-Voltage: Sum of Ideal and Non-Ideal:



Equivalent Circuit



Equation

There are two variations of this function:

$$Y = P2 * \left\{ e^{\left[\frac{K1 * X}{(273.15 + K2)} \right] - 1} \right\} + P3 * \left\{ e^{\left[\frac{K1 * X}{(273.15 + K2) * P4} \right] - 1} \right\} + \frac{X}{P1}$$

$$Y = P2 * \left\{ e^{\left[\frac{K1 * (X - Y * P5)}{(273.15 * K2)} \right] - 1} \right\} + P3 * \left\{ e^{\left[\frac{K1 * (X - Y * P5)}{((273.15 + K2) * P4)} \right] - 1} \right\} + \frac{(X - Y * P5)}{P1}$$

in which:

- Y is the measured response, the current in amperes.
- X is the independent variable, the voltage in volts.

Constants

Constant	Name	Comments
K1	q/k	Elementary charge, q = 1.602177E-19 Coulomb, divided by Boltzmann's constant, k = 1.380662E-23 J/°K Default value is 1.160441151E4 C°K/J
K2	t	Temperature in °C Default value is 25 °C.

Parameters

Parameter	Name	Comments
P1	Rsh	Shunt resistance in ohms, .
P2	Io	Diode saturation current, in amperes, for recombination mechanisms with ideality factor equal to one.
P3	Ir	Diode saturation current, in amperes, for recombination mechanisms with ideality factor not equal to one.
P4	Nr	Ideality factor, equal to one for an ideal semiconductor diode (see function 0501 ⁴).

Parameter	Name	Comments
P5	Rs	Series resistance in ohms, . When doing a fit that includes Rs as a parameter, it is often advantageous to limit it to values greater than or equal to zero. These are the only physically meaningful values of Rs.

Sample Applications

- Characterizing the current-voltage behaviour of semiconductor diodes.
- Characterizing the dark current - voltage behaviour of solar cells.

Remarks

Because of the extreme non linearity of the function, **FitAll** may arrive at one of several possible solutions. Manual adjustment of the initial estimates will most likely be necessary.

In most cases the current, Y, data will span a wide range of values, for example, three or four orders of magnitude. Because of this it is strongly advised that you weight the data using a weighting factor of $1/(\text{Sigma}Y)^2$ or $1/(0.1Y)^2$. When you plot the fit, plot $\text{Log}[Y]$ vs. X so that you will be able to see the deviations at low Y-values as well as at high Y-values.

This is an implicit function; that is, its value depends on itself. The dependent variable, Y, appears on both sides of the equation. **FitAll** uses an iterative method to evaluate this function. Function evaluations are more time consuming than normal and the regression analysis is correspondingly slower.

Often, the best fitting strategy is to first fit your data using the first variation of the function, then re-do the fit using the second variation and the parameters obtained in the first fit as the starting point for the second.

All currents and voltages are assumed to be greater than or equal to zero.

When automatic initial estimates are made, **FitAll** assumes that the data are sorted on column number 1, that is, the X-values.


Also See

[Function 0507](#)^[22] is the same as this function except that the definitions of the dependent and independent variables are switched. That is, the meanings of X and Y are interchanged.


[Function 0517](#)^[48] is the same as this function except that the definitions of the dependent and independent variables are switched. That is, the meanings of X and Y are interchanged. Also, both diodes are assumed to be non-ideal diodes.

[Function 0527](#)^[60]

Ftn 0504: Dark I-V: Model 1A: High I-range



Equivalent Circuit



Equation

$$Y = \frac{K3 * (273.15 + K2)}{K1} * \ln \left| \frac{(X + P1)}{P1} \right| + X * P2$$

in which:

- Y is the measured response -- the voltage in volts.

- X is the independent variable -- the current in amperes.

Constants

Constant	Name	Comments
K1	q/k	Elementary charge, $q=1.602177E-19$ Coulomb, divided by Boltzmann's constant, $k = 1.380662E-23$ J/°K. Default value is $1.160441151E4$ C°K/J.
K2	t	Temperature in °C. Default value is 25.0 °C.
K3	n	Ideality factor for the diode. For an ideal diode $n = 1$. For a non-ideal diode $n > 1$.

Parameters

Parameter	Name	Comments
P1	Id	Saturation current for the diode, in amperes
P2	Rs	Series resistance in ohms, . $R_s \geq 0$.

Sample Applications

- Characterizing the current-voltage behaviour of semiconductor diodes.
- Characterizing the dark current-voltage behaviour of solar cells.

Remarks

When automatic initial estimates are made, **FitAll** assumes that the data are sorted on column number 1, that is, the X-values.


All currents and voltages are assumed to be greater than or equal to zero.

Also See


[Function 0513](#)^[39], which is the same as this function except that it has an extra parameter, P3, which is a voltage offset that *may* be useful in compensating for an instrumental measurement offset (calibration error).

[Function 0514](#)^[42], which is the same as this function except that the diode ideality factor, constant K3, is treated as a parameter rather than an adjustable constant.

Ftn 0505: Dark I-V: Model 2A: Mid I-range



Equivalent Circuit



Equation

$$Y = P1 * \left(X - P2 * \left\{ e^{\left[\frac{K1 * Y}{(273.15 + K2)} \right]} - 1 \right\} - P3 * \left\{ e^{\left[\frac{K1 * Y}{(P4 * (273.15 + K2))} \right]} - 1 \right\} \right)$$

in which:

- Y is the measured response -- the voltage in volts.
- X is the independent variable -- the current in amperes.

Constants

Constant	Name	Comments
K1	q/k	Elementary charge, $q=1.602177E-19$ Coulomb, divided by Boltzmann's constant, $k = 1.380662E-23$ J/°K. Default value is $1.160441151E4$ C°K/J.
K2	t	Temperature in °C. Default value is 25.0 °C.

Parameters

Parameter	Name	Comments
P1	Rsh	Shunt resistance in ohms, .
P2	Id1	Saturation current, in amperes, for ideal diode 1, in amperes
P3	Id2	Saturation current, in amperes, for non-ideal diode 2, in amperes
P4	n2	Ideality factor for diode 2. For an ideal diode $n = 1$. For a non-ideal diode $n > 1$.

Sample Applications

- Characterizing the current-voltage behaviour of semiconductor diodes.
- Characterizing the dark current-voltage behaviour of solar cells.

Remarks

Because of the exponential nature of this function and the magnitude of the constants, some of the values generated can be very large (or very small) -- in fact, large enough to exceed the numeric range of your computer. If this happens, one or more error messages will appear and the calculations will be terminated.

This is an implicit function; that is, the dependent variable, Y, appears on both sides of the equation. **FitAll**

uses an iterative method to evaluate this function. Function evaluations are more time consuming than normal and the regression analysis is correspondingly slower.

All currents and voltages are assumed to be greater than or equal to zero.


When automatic initial estimates are made, **FitAll** assumes that the data are sorted on column number 1, that is, the X-values.

Also See


[Function 0515](#)^[45], which is the same as this function except that diode 1 is treated as a non-ideal diode that may have a value greater than 1.0.

[Function 0525](#)^[54], which is the same as this function except that it includes a Voltage Offset parameter.

Ftn 0506: Dark I-V: Model 3A: Low I-range



Equivalent Circuit



Equation

$$Y = P1 * \left(X - P2 * \left\{ e^{\left[\frac{K1 * Y}{(P3 * (273.15 + K2))} \right]} - 1 \right\} \right)$$

in which:

- Y is the measured response -- the voltage in volts.
- X is the independent variable -- the current in amperes.

Constants

Constant	Name	Comments
K1	q/k	Elementary charge, $q=1.602177E-19$ Coulomb, divided by Boltzmann's constant, $k = 1.380662E-23$ J/°K. Default value is $1.160441151E4$ C°K/J.
K2	t	Temperature in °C. Default value is 25.0 °C.

Parameters

Parameter	Name	Comments
P1	Rsh	Shunt resistance in ohms, .
P2	Id	Saturation current, in amperes, for the diode, in amperes
P3	n	Ideality factor for the diode. For an ideal diode $n = 1$. For a non-ideal diode $n > 1$.

Sample Applications

- Characterizing the current-voltage behaviour of semiconductor diodes.
- Characterizing the dark current-voltage behaviour of solar cells.

Remarks

Because of the exponential nature of this function and the magnitude of the constants, some of the values generated can be very large (or very small) -- in fact, large enough to exceed the numeric range of your computer. If this happens, one or more error messages will appear and the calculations will be terminated.

This is an implicit function; that is, the dependent variable, Y, appears on both sides of the equation. **FitAll** uses an iterative method to evaluate this function. Function evaluations are more time consuming than normal and the regression analysis is correspondingly slower.

All currents and voltages are assumed to be greater than or equal to zero.

When automatic initial estimates are made, **FitAll** assumes that the data are sorted on column number 1, that is, the X-values.


Also See

[Function 0502](#)^[7].


[Function 0526](#)^[57], which is the same as this function except that it has an extra parameter, P4, which is a voltage offset that *may* be useful in compensating for an instrumental measurement offset (calibration error).

[Function 0512](#)^[36].

Ftn 0507: Dark I-V: Model 4A: Full I-range



Equivalent Circuit



Equation

$$Y = P1 * \left(X - P2 * \left\{ e^{\left[\frac{K1 * (Y - X * P5)}{(273.15 + K2)} \right] - 1} - P3 * \left\{ e^{\left[\frac{K1 * (Y - X * P5)}{(P4 * (273.15 + K2))} \right] - 1} \right\} + X * P5 \right)$$

in which:

- Y is the measured response -- the voltage in volts.
- X is the independent variable -- the current in amperes.

Constants

Constant	Name	Comments
K1	q/k	Elementary charge, $q=1.602177E-19$ Coulomb, divided by Boltzmann's constant, $k = 1.380662E-23$ J/°K. Default value is $1.160441151E4$ C°K/J.
K2	t	Temperature in °C. Default value is 25.0 °C.

Parameters

Parameter	Name	Comments
P1	Rsh	Shunt resistance in ohms, .
P2	Id1	Saturation current, in amperes, for diode 1, in amperes
P3	Id2	Saturation current, in amperes, for diode 2, in amperes.
P4	n2	Ideality factor for diode 2. For an ideal diode $n = 1$. For a non-ideal diode $n > 1$.
P5	Rs	Series resistance in ohms, .

Sample Applications

- Characterizing the current-voltage behaviour of semiconductor diodes.
- Characterizing the dark current-voltage behaviour of solar cells.

Remarks

Because of the exponential nature of this function and the magnitude of the constants, some of the values

generated can be very large (or very small) -- in fact, large enough to exceed the numeric range of your computer. If this happens, one or more error messages will appear and the calculations will be terminated.

This is an implicit function; that is, the dependent variable, Y, appears on both sides of the equation. **FitAll** uses an iterative method to evaluate this function. Function evaluations are more time consuming than normal and the regression analysis is correspondingly slower.

All currents and voltages are assumed to be greater than or equal to zero.

When automatic initial estimates are made, **FitAll** assumes that the data are sorted on column number 1, that is, the X-values.


Also See

[Function 0503](#)^[10], which is the same as this function except that the definitions of the dependent and independent variables are switched. That is, the meanings of X and Y are interchanged.

[Function 0517](#)^[48], which is the same as this function except that both diodes are assumed to be non-ideal diodes; that is, their ideality factors, n, are greater than or equal to 1.

[Function 0527](#)^[60], which is the same as this function except that it has an extra parameter, P6, which is a voltage offset that *may* be useful in compensating for an instrumental measurement offset (calibration error).

Ftn 0508: Light I-V: 2 Parameters & 6-Constants



Equation

$$Y = K4 * \{A\} + [(K4 * P2 - K3) * \{A\} + K3 - X - Y * P2] *$$

$$\left[\frac{K6 - K4 * \{B\}}{(K4 * P2 - K3) * \{B\} + K3 - K5 - K6 * P2} \right]$$

with

$$A = \frac{e^{k_o * K3} - e^{k_o * (X + Y * P2)}}{e^{k_o * K3} - e^{k_o * K4 * P2}}$$

$$B = \frac{e^{k_o * K3} - e^{k_o * (K5 + K6 * P2)}}{e^{k_o * K3} - e^{k_o * K4 * P2}}$$

and

$$k_o = \frac{K1}{P1 * (273.15 + K2)}$$

in which

- Y is the cell operating current, I, in amperes.
- X is the cell operating voltage, V, in volts.

Constants

Constant	Name	Comments
K1	q/k	Elementary charge, $q = 1.602177E-19$ Coulomb, divided by Boltzmann's constant, $k = 1.380662E-23$ J/°K. Default value is $1.160441151E4$ C°K/J.
K2	t	Temperature (in °C). Default value is 25.0 °C.
K3	Voc	Voltage at Open Circuit in volts.
K4	Isc	Current at Short Circuit in amperes.
K5	Vmp	Voltage at Maximum Power in volts.
K6	Imp	Current at Maximum Power in amps.

Parameters

Parameter	Name	Comments
P1	n	Cell diode ideality factor. For an ideal diode $n = 1$. For a non-ideal diode $n > 1$.
P2	Rs	Series resistance in ohms, . ($R_s \geq 0$).

Sample Applications

- Characterizing the light current-voltage behaviour of solar cells.
- Characterizing the current-voltage behaviour of semiconductor diodes.

Remarks

This is an implicit function. That is, the dependent variable, Y, appears on both sides of the equation. **FitAll** uses an iterative method to evaluate this function. Function evaluations are more time consuming than normal and the regression analysis is correspondingly slower.


FitAll automatic initial estimates are very approximate and may well require manual adjustment.

All currents and voltages are assumed to be greater than or equal to zero.

Also See

[Function 0510](#)^[30], which is the same as this function except that the constants K3 to K6 are treated as parameters. This may be useful to correct for small experimental errors that may arise as result of instrumental calibration errors. If you are confident that you know the values of Voc, Isc, Vmp and Imp, use function 0508 otherwise use function 0510.

Ftn 0509: Light I-V: 2 Parameters & 4-Constants with Rs=0



Equation

$$Y = K4 * \{A\} + [(- K3) * \{A\} + K3 - X] / P2$$

with

$$A = \frac{e^{k_o * K3} - e^{k_o * X}}{e^{k_o * K3} - 1}$$

and

$$k_o = \frac{K1}{P1 * (273.15 + K2)}$$

in which

- Y is the cell operating current, I, in amperes.
- X is the cell operating voltage, V, in volts.

Constants

Constant	Name	Comments
K1	q/k	Elementary charge, $q = 1.602177E-19$ Coulomb, divided by Boltzmann's constant, $k = 1.380662E-23$ J/°K. Default value is $1.160441151E4$ C°K/J.
K2	t	Temperature (in °C). Default value is 25.0 °C.
K3	Voc	Voltage at Open Circuit (in volts).
K4	Isc	Current at Short Circuit (in amperes).

Parameters

Parameter	Name	Comments
P1	n	Cell diode ideality factor. For an ideal diode $n = 1$. For a non-ideal diode $n > 1$.
P2	Rsh	Cell shunt resistance in ohms, . (Rsh ≥ 0).

Sample Applications

- Characterizing the light current-voltage behaviour of solar cells.
- Characterizing the current-voltage behaviour of semiconductor diodes.

Remarks


FitAll automatic initial estimates are very approximate and may well require manual adjustment.

All currents and voltages are assumed to be greater than or equal to zero.

Also See

[Function 0511](#)^[33], which is the same as this function *except* that the constants K3 and K4 are treated as parameters. This may be useful to correct for small experimental errors that may arise as result of instrumental calibration errors.

Ftn 0510: Light I-V: 6 Parameters & 2 Constants



Equation

$$Y = P4 * \{A\} + \left[(P4 * P2 - P3) * \{A\} + P3 - X - Y * P2 \right] *$$

$$\left[\frac{P6 - P4 * \{B\}}{(P4 * P2 - P3) * \{B\} + P3 - P5 - P6 * P2} \right]$$

with

$$A = \frac{e^{k_o * P3} - e^{k_o * (X + Y * P2)}}{e^{k_o * P3} - e^{k_o * P4 * P2}},$$

$$B = \frac{e^{k_o * K3} - e^{k_o * (P5 + P6 * P2)}}{e^{k_o * P3} - e^{k_o * P4 * P2}},$$

and

$$k_o = \frac{K1}{P1 * (273.15 + K2)}$$

in which

- Y is the cell operating current, I, in amperes.
- X is the cell operating voltage, V, in volts.

Constants

Constant	Name	Comments
K1	q/k	Elementary charge, $q = 1.602177E-19$ Coulomb, divided by Boltzmann's constant, $k = 1.380662E-23J/^\circ K$. Default value is $1.160441151E4C^\circ K/J$.
K2	t	Temperature (in $^\circ C$). Default value is $25.0^\circ C$.

Parameters

Parameter	Name	Comments
P1	n	Cell diode ideality factor. For an ideal diode $n = 1$. For a non-ideal diode $n > 1$.
P2	Rs	Series resistance in ohms, . ($R_s \geq 0$).
P3	Voc	Voltage at Open Circuit in volts.
P4	Isc	Current at Short Circuit in amperes.
P5	Vmp	Voltage at Maximum Power in volts.
P6	Imp	Current at Maximum Power in amperes.

Sample Applications

- Characterizing the light current-voltage behaviour of solar cells.
- Characterizing the current-voltage behaviour of semiconductor diodes.

Remarks

This is an implicit function. That is, the dependent variable, Y, appears on both sides of the equation. **FitAll** uses an iterative method to evaluate this function. Function evaluations are more time consuming than normal and the regression analysis is correspondingly slower.


FitAll can and does generate reliable initial estimates of the parameters P[3] to P[6]; however, the initial estimates for the parameters P[1] and P[2] are arbitrary. It is more than likely that the initial estimates of P [1] and P[2] will have to be manually adjusted.

All currents and voltages are assumed to be greater than or equal to zero.

Also See

[Function 0508](#)^[25], which is the same as this function except that the parameters P3 to P6 are treated as constants. If you are confident that you know the values of Voc, Isc, Vmp and Imp, use function 0508 otherwise use function 0510.

Ftn 0511: Light I-V: 4 Parameters & 2 Constants with Rs=0



Equation

$$Y = P4 * \{A\} + [(- P3) * \{A\} + P3 - X] / P2$$

with

$$A = \frac{e^{k_o * P3} - e^{k_o * X}}{e^{k_o * P3} - 1},$$

and

$$k_o = \frac{K1}{P1 * (273.15 + K2)}$$

in which

- Y is the cell operating current, I, in amperes.
- X is the cell operating voltage, V, in volts.

Constants

Constant	Name	Comments
K1	q/k	Elementary charge, $q = 1.602177E-19$ Coulomb, divided by Boltzmann's constant, $k = 1.380662E-23$ J/ $^{\circ}$ K. Default value is $1.160441151E4$ C $^{\circ}$ K/J.
K2	t	Temperature (in $^{\circ}$ C). Default value is 25.0 $^{\circ}$ C.

Parameters

Parameter	Name	Comments
P1	n	Cell diode ideality factor. For an ideal diode $n = 1$. For a non-ideal diode $n > 1$.
P2	Rsh	Cell shunt resistance in ohms, . ($Rsh \geq 0$).
P3	Voc	Voltage at Open Circuit in volts.
P4	Isc	Current at Short Circuit in amperes.

Sample Applications

- Characterizing the light current-voltage behaviour of solar cells.
- Characterizing the current-voltage behaviour of semiconductor diodes.

Remarks

FitAll can and does generate reliable initial estimates of the parameters P[3] and P[4]; however, the initial estimates for the parameters P[1] and P[2] are arbitrary. It is more than likely that the initial estimates of P [1] and P[2] will have to be manually adjusted.


All currents and voltages are assumed to be greater than or equal to zero.

Also See


[Function 0509](#)^[28], which is the same as this function except that the parameters P3 and P4 are treated as constants. If you are confident that you know the values of Voc and Isc use function 0509 otherwise use

function 0511.

Ftn 0512: Dark Current-Voltage: Non-Ideal with R_s



Equivalent Circuit



Equation

$$Y = P1 * \left(X - P2 * \left\{ e^{\left[\frac{K1 * (Y - X * P4)}{P3 * (273.15 + K2)} \right]} - 1 \right\} + X * P4 \right)$$

in which:

- Y is the measured response, the voltage in volts.
- X is the independent variable, the current in amperes.

Constants

Constant	Name	Comments
K1	q/k	Elementary charge, $q = 1.602177E-19$ Coulomb, divided by Boltzmann's constant, $k = 1.380662E-23$ J/°K. Default value is $1.160441151E4$ C°K/J
K2	t	Temperature in °C. Default value is 25 °C.

Parameters

Parameter	Name	Comments
P1	Rsh	Shunt resistance in ohms, .
P2	lo	Diode saturation current, in amperes, for recombination mechanisms with ideality factor equal to one.
P3	n	Ideality factor, equal to one for an ideal semiconductor diode. When doing a fit it is often advantageous to limit the value of n to the range 1 to 5.
P4	Rs	Series resistance in ohms, . It is often advantageous to limit Rs to values greater than or equal to zero. These are the only physically meaningful values of Rs.

Sample Applications

- Characterizing the current-voltage behaviour of semiconductor diodes.
- Characterizing the dark current-voltage behaviour of solar cells.

Remarks

This function is an implicit function; that is, its value depends on itself. The dependent variable, Y, appears on both sides of the equation. **FitAll** uses an iterative method to evaluate this function. Function evaluations are more time consuming than normal and the regression analysis is correspondingly slower.

All currents and voltages are assumed to be greater than or equal to zero.


When automatic initial estimates are made, **FitAll** assumes that the data are sorted on column number 1, that is, the X-values.

Also See


[Function 0502](#)^[7], which is the same as this function except that the definitions of the dependent and independent variables are switched. That is, the meanings of X and Y are interchanged.

[Function 0506](#)^[19], which is similar to this function except that the series resistance, R_s , is not present in the equivalent circuit.

Ftn 0513: Dark I-V: Model 1B: High I-range w/ Voltage Offset



Equivalent Circuit



Equation

$$Y = \frac{K3 * (273.15 + K2)}{K1} * \text{Ln} \left| \frac{(X + P1)}{P1} \right| + X * P2 + P3$$

in which:

- Y is the measured response -- the voltage in volts.
- X is the independent variable -- the current in amperes.

Constants

Constant	Name	Comments
K1	q/k	Elementary charge, $q=1.602177E-19$ Coulomb, divided by Boltzmann's constant, $k = 1.380662E-23$ J/°K. Default value is $1.160441151E4$ C°K/J.
K2	t	Temperature in °C. Default value is 25.0 °C.
K3	n	Ideality factor for the diode. For an ideal diode $n = 1$. For a non-ideal diode $n > 1$.

Parameters

Parameter	Name	Comments
P1	Id	Saturation current, in amperes, for the diode, in amperes
P2	Rs	Series resistance in ohms, . $R_s \geq 0$.
P3	Voffset	Voltage Offset, in volts, that <i>may</i> compensate for measurement errors due to an instrument calibration issue.

Sample Applications

- Characterizing the current-voltage behaviour of semiconductor diodes.
- Characterizing the dark current-voltage behaviour of solar cells.

Remarks

When automatic initial estimates are made, **FitAll** assumes that the data are sorted on column number 1, that is, the X-values.


All currents and voltages are assumed to be greater than or equal to zero.

Also See


[Function 0504](#)^[13], which is the same as this function except that it does not include the Voffset parameter.

[Function 0514](#)^[42], which is the same as this function except that the diode ideality factor, constant K3, is treated as a parameter rather than an adjustable constant and does not include the Voffset parameter.

Ftn 0514: Dark I-V: Model 1C: High I-range: "n" as a Parameter



Equivalent Circuit



Equation

$$Y = \frac{P3 * (273.15 + K2)}{K1} * \ln \left| \frac{(X + P1)}{P1} \right| + X * P2$$

in which:

- Y is the measured response -- the voltage in volts.
- X is the independent variable -- the current in amperes.

Constants

Constant	Name	Comments
K1	q/k	Elementary charge, $q=1.602177E-19$ Coulomb, divided by Boltzmann's constant, $k = 1.380662E-23$ J/°K. Default value is $1.160441151E4$ C°K/J.
K2	t	Temperature in °C. Default value is 25.0 °C.

Parameters

Parameter	Name	Comments
P1	Id	Diode saturation current in amperes.
P2	Rs	Series resistance in ohms, . $R_s \geq 0$.
P3	n	Ideality factor for the diode. For an ideal diode $n = 1$. For a non-ideal diode $n > 1$.

Sample Applications

- Characterizing the current-voltage behaviour of semiconductor diodes.
- Characterizing the dark current-voltage behaviour of solar cells.

Remarks

All currents and voltages are assumed to be greater than or equal to zero.

When automatic initial estimates are made, **FitAll** assumes that the data are sorted on column number 1, that is, the X-values.


Also See

[Function 0504](#)^[13], which is the same as this function except that the diode ideality factor, parameter P3, is


treated as a manually adjustable constant.

[Function 0534](#)⁶³, which is the same as this function except that the series resistance, P2, is treated as a manually adjustable constant.

Ftn 0515: Dark I-V: Model 2B: Mid I-range: 2 Non-Ideal Diodes



Equivalent Circuit



Equation

$$Y = P1 * \left(X - P2 * \left\{ e^{\left[\frac{K1 * Y}{P5 * (273.15 + K2)} \right]} - 1 \right\} - P3 * \left\{ e^{\left[\frac{K1 * Y}{P4 * (273.15 + K2)} \right]} - 1 \right\} \right)$$

in which:

- Y is the measured response -- the voltage in volts.
- X is the independent variable -- the current in amperes.

Constants

Constant	Name	Comments
K1	q/k	Elementary charge, $q=1.602177E-19$ Coulomb, divided by Boltzmann's constant, $k = 1.380662E-23$ J/°K. Default value is $1.160441151E4$ C°K/J.
K2	t	Temperature in °C. Default value is 25.0 °C.

Parameters

Parameter	Name	Comments
P1	Rsh	Shunt resistance in ohms, .
P2	Id1	Saturation current, in amperes, for ideal diode 1.
P3	Id2	Saturation current, in amperes, for non-ideal diode 2.
P4	n2	Ideality factor for diode 2. For an ideal diode $n = 1$. For a non-ideal diode $n > 1$.
P5	n1	Ideality factor for diode 1. For an ideal diode $n = 1$. For a non-ideal diode $n > 1$.

Sample Applications

- Characterizing the current-voltage behaviour of semiconductor diodes.
- Characterizing the dark current-voltage behaviour of solar cells.

Remarks

Because of the exponential nature of this function and the magnitude of the constants, some of the values

generated can be very large (or very small) -- in fact, large enough to exceed the numeric range of your computer. If this happens, one or more error messages will appear and the calculations will be terminated.

This is an implicit function; that is, the dependent variable, Y, appears on both sides of the equation. **FitAll** uses an iterative method to evaluate this function. Function evaluations are more time consuming than normal and the regression analysis is correspondingly slower.

All currents and voltages are assumed to be greater than or equal to zero.


When automatic initial estimates are made, **FitAll** assumes that the data are sorted on column number 1, that is, the X-values.

Also See


[Function 0505](#)^[16], which is the same as this function except that diode 1 is treated as an ideal diode; that is, its ideality factor, n1, is assumed to have a value of 1.0.

[Function 0525](#)^[54].

Ftn 0517: Dark I-V: Model 4B: Full I-range: 2 Non-Ideal Diodes



Equivalent Circuit



Equation

$$Y = P1 * \left(X - P2 * \left\{ e^{\left[\frac{K1 * (Y - X * P5)}{P6 * (273.15 + K2)} \right]} - 1 \right\} - P3 * \left\{ e^{\left[\frac{K1 * (Y - X * P5)}{P4 * (273.15 + K2)} \right]} - 1 \right\} + X * P5 \right)$$

in which:

- Y is the measured response -- the voltage in volts.
- X is the independent variable -- the current in amperes.

Constants

Constant	Name	Comments
K1	q/k	Elementary charge, $q=1.602177E-19$ Coulomb, divided by Boltzmann's constant, $k = 1.380662E-23$ J/°K. Default value is $1.160441151E4$ C°K/J.
K2	t	Temperature in °C. Default value is 25.0 °C.

Parameters

Parameter	Name	Comments
P1	Rsh	Shunt resistance in ohms, .
P2	Id1	Saturation current for diode 1, in amperes
P3	Id2	Saturation current for diode 2, in amperes.
P4	n2	Ideality factor for diode 2. For an ideal diode $n = 1$. For a non-ideal diode $n > 1$.
P5	Rs	Series resistance in ohms, .
P6	n1	Ideality factor for diode 1. For an ideal diode $n = 1$. For a non-ideal diode $n > 1$.

Sample Applications

- Characterizing the current-voltage behaviour of semiconductor diodes.
- Characterizing the dark current-voltage behaviour of solar cells.

Remarks

Because of the exponential nature of this function and the magnitude of the constants, some of the values generated can be very large (or very small) -- in fact, large enough to exceed the numeric range of your computer. If this happens, one or more error messages will appear and the calculations will be terminated.

This is an implicit function; that is, the dependent variable, Y, appears on both sides of the equation. **FitAll** uses an iterative method to evaluate this function. Function evaluations are more time consuming than normal and the regression analysis is correspondingly slower.


All currents and voltages are assumed to be greater than or equal to zero.

When automatic initial estimates are made, **FitAll** assumes that the data are sorted on column number 1, that is, the X-values.


Also See

[Function 0507](#)^[22], which is the same as this function except that one of the diodes is assumed to be an ideal diode; that is, it has an ideality factor, n, equal to 1.

Ftn 0524: Dark I-V: Model 1D: High I-range: w/ Voltage Offset



Equivalent Circuit



Equation

$$Y = \frac{P3 * (273.15 + K2)}{K1} * Ln \left| \frac{(X + P1)}{P1} \right| + X * P2 + P4$$

in which:

- Y is the measured response -- the voltage in volts.
- X is the independent variable -- the current in amperes.

Constants

Constant	Name	Comments
K1	q/k	Elementary charge, $q=1.602177E-19$ Coulomb, divided by Boltzmann's constant, $k = 1.380662E-23$ J/°K. Default value is $1.160441151E4$ C°K/J.
K2	t	Temperature in °C. Default value is 25.0 °C.

Parameters

Parameter	Name	Comments
P1	Id	Saturation current for diode, in amperes
P2	Rs	Series resistance in ohms, . $R_s \geq 0$.
P3	n	Ideality factor for the diode. For an ideal diode $n = 1$. For a non-ideal diode $n > 1$.
P4	Voffset	Voltage Offset, in volts, that <i>may</i> compensate for measurement errors due to an instrument calibration issue.

Sample Applications

- Characterizing the current-voltage behaviour of semiconductor diodes.
- Characterizing the dark current-voltage behaviour of solar cells.

Remarks

All currents and voltages are assumed to be greater than or equal to zero.

When automatic initial estimates are made, **FitAll** assumes that the data are sorted on column number 1, that is, the X-values.

Also See


[Function 0504](#)^[13], which is the same as this function except that the diode ideality factor, parameter P3, is

treated as a manually adjustable constant and does not include the Voffset parameter.


[Function 0514](#)⁴², which is the same as this function except that it does not include the Voffset parameter.

[Function 0534](#)⁶³

Ftn 0525: Dark I-V: Model 2C: Mid I-range w/ Voltage Offset



Equivalent Circuit



Equation

$$Y = P1 * \left(X - P2 * \left\{ e^{\left[\frac{K1 * (Y - P5)}{273.15 + K2} \right]} - 1 \right\} - P3 * \left\{ e^{\left[\frac{K1 * (Y - P5)}{P4 * (273.15 + K2)} \right]} - 1 \right\} \right) + P5$$

in which:

- Y is the measured response -- the voltage in volts.
- X is the independent variable -- the current in amperes.

Constants

Constant	Name	Comments
K1	q/k	Elementary charge, $q=1.602177E-19$ Coulomb, divided by Boltzmann's constant, $k = 1.380662E-23$ J/°K. Default value is $1.160441151E4$ C°K/J.
K2	t	Temperature in °C. Default value is 25.0 °C.

Parameters

Parameter	Name	Comments
P1	Rsh	Shunt resistance in ohms, .
P2	Id1	Saturation current for ideal diode 1, in amperes
P3	Id2	Saturation current for non-ideal diode 2, in amperes
P4	n2	Ideality factor for diode 2. For an ideal diode $n = 1$. For a non-ideal diode $n > 1$.
P5	Voffset	Voltage Offset, in volts, that <i>may</i> compensate for measurement errors due to an instrument calibration issue.

Sample Applications

- Characterizing the current-voltage behaviour of semiconductor diodes.
- Characterizing the dark current-voltage behaviour of solar cells.

Remarks

Because of the exponential nature of this function and the magnitude of the constants, some of the values generated can be very large (or very small) -- in fact, large enough to exceed the numeric range of your computer. If this happens, one or more error messages will appear and the calculations will be terminated.

This is an implicit function; that is, the dependent variable, Y, appears on both sides of the equation. **FitAll** uses an iterative method to evaluate this function. Function evaluations are more time consuming than normal and the regression analysis is correspondingly slower.

All currents and voltages are assumed to be greater than or equal to zero.

When automatic initial estimates are made, **FitAll** assumes that the data are sorted on column number 1, that is, the X-values.


Also See

[Function 0505](#)^[16], which is the same as this function except that it does not include the Voffset parameter.


[Function 0515](#)^[45].

[Function 0527](#)^[60].

Ftn 0526: Dark I-V: Model 3B: Low I-range w/ Voltage Offset



Equivalent Circuit



Equation

$$Y = P1 * \left(X - P2 * \left\{ e^{\left[\frac{K1 * (Y - P4)}{P3 * (273.15 + K2)} \right]} - 1 \right\} \right) + P4$$

in which:

- Y is the measured response -- the voltage in volts.
- X is the independent variable -- the current in amperes.

Constants

Constant	Name	Comments
K1	q/k	Elementary charge, $q=1.602177E-19$ Coulomb, divided by Boltzmann's constant, $k = 1.380662E-23$ J/°K. Default value is $1.160441151E4$ C°K/J.
K2	t	Temperature in °C. Default value is 25.0 °C.

Parameters

Parameter	Name	Comments
P1	Rsh	Shunt resistance in ohms, .
P2	Id	Saturation current for the diode, in amperes
P3	n	Ideality factor for the diode. For an ideal diode $n = 1$. For a non-ideal diode $n > 1$.
P4	Voffset	Voltage Offset, in volts, that <i>may</i> compensate for measurement errors due to an instrument calibration issue.

Sample Applications

- Characterizing the current-voltage behaviour of semiconductor diodes.
- Characterizing the dark current-voltage behaviour of solar cells.

Remarks

Because of the exponential nature of this function and the magnitude of the constants, some of the values generated can be very large (or very small) -- in fact, large enough to exceed the numeric range of your computer. If this happens, one or more error messages will appear and the calculations will be terminated.

This is an implicit function; that is, the dependent variable, Y, appears on both sides of the equation. **FitAll** uses an iterative method to evaluate this function. Function evaluations are more time consuming than normal and the regression analysis is correspondingly slower.


All currents and voltages are assumed to be greater than or equal to zero.

When automatic initial estimates are made, **FitAll** assumes that the data are sorted on column number 1, that is, the X-values.


Also See

[Function 0506](#)^[19], which is the same as this function except that it does not include the voltage offset parameter.

Ftn 0527: Dark I-V: Model 4C: Full I-range: w/ Voltage Offset



Equivalent Circuit



Equation

$$Y = P1 * \left(X - P2 * \left\{ e^{\left[\frac{K1 * ((Y - P6) - X * P5)}{(273.15 + K2)} \right]} - 1 \right\} - P3 * \left\{ e^{\left[\frac{K1 * ((Y - P6) - X * P5)}{(P4 * (273.15 + K2))} \right]} - 1 \right\} \right) + X * P5 + P6$$

in which:

- Y is the measured response -- the voltage in volts.
- X is the independent variable -- the current in amperes.

Constants

Constant	Name	Comments
K1	q/k	Elementary charge, $q=1.602177E-19$ Coulomb, divided by Boltzmann's constant, $k = 1.380662E-23$ J/°K. Default value is $1.160441151E4$ C°K/J.
K2	t	Temperature in °C. Default value is 25.0 °C.

Parameters

Parameter	Name	Comments
P1	Rsh	Shunt resistance in ohms, .
P2	Id1	Saturation current for diode 1, in amperes
P3	Id2	Saturation current for diode 2, in amperes.
P4	n2	Ideality factor for diode 2. For an ideal diode $n = 1$. For a non-ideal diode $n > 1$.
P5	Rs	Series resistance in ohms, .
P6	Voffset	Voltage Offset that <i>may</i> compensate for measurement errors due to an instrument calibration issue.

Sample Applications

- Characterizing the current-voltage behaviour of semiconductor diodes.
- Characterizing the dark current-voltage behaviour of solar cells.

Remarks

Because of the exponential nature of this function and the magnitude of the constants, some of the values generated can be very large (or very small) -- in fact, large enough to exceed the numeric range of your computer. If this happens, one or more error messages will appear and the calculations will be terminated.

This is an implicit function; that is, the dependent variable, Y, appears on both sides of the equation. **FitAll** uses an iterative method to evaluate this function. Function evaluations are more time consuming than normal and the regression analysis is correspondingly slower.

All currents and voltages are assumed to be greater than or equal to zero.


When automatic initial estimates are made, **FitAll** assumes that the data are sorted on column number 1, that is, the X-values.

Also See


[Function 0507](#)^[22], which is the same as this function except that it does not include the voltage offset parameter.

[Function 0517](#)^[48], which is the same as this function except that it does not include the voltage offset parameter and treats both diodes as non-ideal.

Ftn 0534: Dark I-V: Model 1E: High I-range: "Rs" as a Constant



Equivalent Circuit



Equation

$$Y = \frac{P2 * (273.15 + K2)}{K1} * \text{Ln} \left| \frac{(X + P1)}{P1} \right| + X * K3$$

in which:

- Y is the measured response -- the voltage in volts.
- X is the independent variable -- the current in amperes.

Constants

Constant	Name	Comments
K1	q/k	Elementary charge, $q=1.602177E-19$ Coulomb, divided by Boltzmann's constant, $k = 1.380662E-23$ J/°K. Default value is $1.160441151E4$ C°K/J.
K2	t	Temperature in °C. Default value is 25.0 °C.
K3	Rs	Series resistance in ohms, . $R_s \geq 0$. Default value 0.0 .

Parameters

Parameter	Name	Comments
P1	Id	Diode saturation current in amperes.
P2	n	Ideality factor for the diode. For an ideal diode $n = 1$. For a non-ideal diode $n > 1$.

Sample Applications

- Characterizing the current-voltage behaviour of semiconductor diodes.
- Characterizing the dark current-voltage behaviour of solar cells.

Remarks

When the series resistance, K3, has a value of zero the equivalent circuit does not contain a series resistor. That is, the equivalent circuit only contains a diode.

All currents and voltages are assumed to be greater than or equal to zero.

When automatic initial estimates are made, **FitAll** assumes that the data are sorted on column number 1, that is, the X-values.

Also See

[Function 0504](#)^[13], which is the same as this function except that the diode ideality factor, parameter P2, is treated as a manually adjustable constant and the series resistance, K3, is treated as a parameter.

[Function 0514](#)^[42], which is the same as this function except that the series resistance, K3, is treated as a parameter rather than a constant.

[Function 0524](#)^[51]

THIS IS AN INTENTIONALLY EMPTY PAGE

Appendix

[Getting Help](#)^[68]

[Adding Functions to FitAll](#)^[69]

Getting Help

To get technical or other assistance from MTR Software you can:

Visit MTR Software's website at:

www.fitall.com

and click on the menu selections

Support, [FitAll Forums](#)

Email MTR Software at:

support@fitall.com

Write to MTR Software at:

MTR Software

77 Carlton Street, Suite 808

Toronto ON Canada

M5B 2J7

Telephone MTR Software at:

416-596-1499

Describe your problem or difficulty as completely as you can. We will try to answer your query quickly and completely.

You should also include your email address as well as your daytime, evening and weekend telephone numbers.

Adding Functions to FitAll

There are three ways to add your own specialized functions to *FitAll*.

1. You can contact **MTR Software** to get a quotation on the cost of creating a custom **FitAll Function Library** for you.
2. The **FitAll Programmer's Guide**, which is included with **FitAll Research Edition**, explains:
 - how to modify the supplied source code for the User Defined **FitAll Function Libraries** and
 - how to compile them using Embarcadero / CodeGear / Borland Delphi version 5, 6, 7, 2005, 2006, 2009 and 2010 or **FreePascal** version 2.2 and later, which is an open source Pascal compiler available from www.freepascal.org.
3. You can contact **MTR Software** and request that the function be added to one of **FitAll's Function Libraries**.

THIS IS AN INTENTIONALLY EMPTY PAGE

Index

- C -

Contacting MTR Software 68
Current-Voltage 4, 7, 10, 36

- D -

Dark Current-Voltage 4, 7, 10, 36
Dark I-V 13, 16, 19, 22, 39, 42, 45, 48, 51, 54,
57, 60, 63

- E -

Exponential 16, 19, 22, 45, 48, 54, 57, 60

- F -

Function 4, 7, 10, 13, 16, 19, 22, 25, 28, 30, 33,
36, 39, 42, 45, 48, 51, 54, 57, 60
 Current-Voltage 4
 exponential 16, 19, 22, 45, 48, 54, 57, 60
 implicit 4, 7, 10, 16, 19, 22, 25, 28, 30, 33,
 36, 45, 48, 54, 57, 60
 logarithmic 13, 39, 42, 51, 63
 solar cell 4, 7, 10, 13, 16, 19, 22, 25, 28, 30,
 33, 36, 39, 42, 45, 48, 51, 54, 57, 60, 63
Function Reference 3

- H -

Help 68
How to
 contact MTR Software 68

- I -

Implicit 4, 7, 10, 16, 19, 22, 25, 28, 30, 33, 36,
45, 48, 54, 57, 60

- S -

Solar Cell

Dark Current-Voltage 4, 7, 10, 36
Dark I-V: Model 1: High I-range 13, 39, 42,
51, 63
Dark I-V: Model 2: Mid I-range 16, 45, 54
Dark I-V: Model 3: Low I-range 19, 57
Dark I-V: Model 4: Full I-range 22, 48, 60
Light I-V 25, 28, 30, 33